## Environmental Monitoring Report of Formosa II

## Pre-construction Phase (2020 July to September)

## Monitoring & Improvement Summary

Monitoring Item		Monitoring Site	Monitoring Result Summary	Measures & Effects
Under construction-Bird Ecology	Offshore Bird	Wind farm and its periphery	<ol> <li>Species composition: 4 families, 11 species and 102 individuals were documented in this quarter.</li> <li>Protected species: 4 protected species were documented in this quarter, including Little tern (II), Greater crested tern (II), Bridled tern (II) and Brown noddy (II).</li> <li>Flying Altitude: flying altitude under 25m is 94%. Max flying altitude is 10-15m, which is under the sweeping zone.</li> </ol>	
	Coastal birds	<ol> <li>Xihu National Wetland</li> <li>Periphery coast</li> </ol>	<ol> <li>9 orders, 13 families, 29 species and 2,745 individuals were documented.</li> <li>Protected species: 4 protected species were recorded, including Greater painted-snipe (II), Little tern (II), Black-winged kite (II) and Peregrine falcon (II).</li> </ol>	

Monitoring Item		Monitoring Site	Monitoring Result Summary	Measures & Effects
	Nighttime Radar	Wind farm located at Chunan (north coast of Chunggang estuary) and Houlong (Haowang Cape)	<ol> <li>Flying direction: mainly S or SE.</li> <li>Activity mode: Max frequency is recorded at 22:00, while min frequency is recorded at 06:00.</li> <li>Overall, activity frequency is relatively higher at night. 30.9% of the tracks past wind farm area.</li> </ol>	_
	Under nstruction- Fishery	3 survey lines in wind farm area	<ol> <li>Fish: 18 families, 29 species and 692 individuals. Big-head pennah croaker takes the majority.</li> <li>Fish egg: 13 families and 16 genre, 14,309 eggs. Overcast grouper of Serranidae takes the majority.</li> <li>Fish larva: 22 families and 26 genre, fish: Needlescaled queenfish of Carangidae takes the majority.</li> </ol>	
(	Under nstruction- Cetacean Ecology	Wind farm and its periphery	<ol> <li>1. 1 herd of 1 bottlenose dolphin were spotted on August 8, 2020 in this quarter.</li> <li>2. 1 herd of 1 Chinese white dolphin was spotted on August 14, 2020 outside the wind farm area.</li> </ol>	_

Monitoring Item	Monitoring Site	Monitoring Result Summary	Measures & Effects
		1. Whistles: 27 whistles were documented in this quarter.	
		(1) Time Distribution	
		From analysis on the 5 spots,	
		it is known that more	
		whistles were observed in	
		daytime. Whistles observed	
		in HM-1 were distributed in	
		morning, HM-3 in morning	
		and noon, and HM-4 and	
		HM-5 in noon and	
		nighttime.	
		(2) Tidal Distribution	
Under		Whistles are mostly	
construction-		observed during low tide to	
Underwater Noise	5 stations within	high tide, expect for HM-4,	
(including	wind farm area	in which clicks were mostly	
cetacean acoustic		observed from high tide to	
survey)		low tide.	
		<ul><li>Clicks:</li><li>57 clicks were documented in this</li></ul>	
		quarter.	
		(1) Time Distribution	
		From analysis on the 5	
		spots, it is known that more	
		clicks were observed from	
		dawn to noon.	
		(2) Tidal Distribution	
		From analysis on the 5	
		spots, clicks are mostly	
		observed during low tide to	
		high tide. No clicks were	
		observed after high tide.	

Monitoring Item	Monitoring Site	Monitoring Result Summary	Measures & Effects
Under construction- Marine Water Quality	10 stations within wind farm area	pH value is 8.1-8.2, water temperature is between 25.6-26.7°C, dissolved oxygen is between 6.1-6.5 mg/L, salinity is between 33.8-34.3 psu, transparency is between 70-140 cm, Coliform group is between 10-30 mg/L, Chlorophyll a is between 0.5-1.7 mg/L, BOD is between 0.6-0.7 mg/L, SS is between 1.8-9.0 mg/L, fat is N.D. mg/L.	
Under construction- Marine and intertidal ecology	10 stations within wind farm area	<ol> <li>Marine ecology: phytoplankton: 4 phylum, 48 genus, 97 species; Chlorophyll a is between 0.01 ~ 1.18 μg/L, zooplankton: 13 phylum, 36 genre; benthic organism: 9 orders, 10 families, 11 genre.</li> <li>Intertidal ecology: Benthic organism: 6 orders, 10 families and 12 species</li> </ol>	
Under construction- Terrestrial Ecology	Terrestrial power transmission system (including stepdown station, land cable and its periphery)	<ol> <li>Plantation: 64 families, 170 genre and 238 species were recorded. 5 rare species were recorded, including Taiwan Incense Cedar, Lanyu Podocarp, Common Garcinia, Seremban and Fan Palm, all are cultivated.</li> <li>Mammal: 2 orders, 2 families, 2 species and 5 individuals of mammals; 1 order, 2 family, 8 species and 310 individuals of bats were recorded. No protected species were recorded.</li> <li>Amphibian: 1 order, 4 families, 5 species and 88 individuals were recorded. No protected species were</li> </ol>	

Monitoring Item	Monitoring Site	Monitoring Result Summary	Measures & Effects
	Planned important wetland in Chunan	<ol> <li>Plantation: 8 orders, 9 genre and 9 species were recorded. No rare species were observed.</li> <li>Fish: 5 families, 10 species and 647 individuals were recorded. No protected species were recorded.</li> <li>Crabs and Shrimps: 4 families, 4 species and 399 individuals were recorded. No protected species were recorded.</li> <li>Conch: 6 families, 7 species and 491 individuals were recorded. No protected species were recorded.</li> <li>Aquatic insects (including Odonata): 3 families, 11 species and 752 individuals were recorded. No protected species were recorded.</li> </ol>	
Under construction- Cultural Heritage (Archeology monitoring during onshore construction)	excavation area	No archeological remnant is discovered.	_
Under construction- Air Quality	1 station in residency around booster station	Day average value for TSP is 42μg/m³, Day average value for PM <sub>10</sub> is 23μg/m³, Day average value for PM <sub>2.5</sub> is 12μg/m³, Hourly max average value for SO <sub>2</sub> is 1 ppb, and day average value is 1 ppb. Hourly max average value for NO is 17 ppb, and day average value is 5 ppb. Hourly max average value for NO <sub>2</sub> is 30 ppb, and day average value is 12 ppb. Hourly max average value is 12 ppb. Hourly max average value for CO is 0.4 ppm, and average value in 8 hours is 0.3 ppm. Hourly max average value in 8 hours is 23 ppb. Major wind direction is ESE, day average wind speed is 1.3m/s. All monitoring items comply with air quality standard. No abnormal issue observed.	_

Monitoring Item		Monitoring Site	Monitoring Result Summary	Measures & Effects
Under construction-Noise Vibration	Noise Vibration	<ol> <li>1. 1 station in residency around booster station</li> <li>2. 1 station in residency along land cable</li> <li>3. Zhonggang Cihyu Temple</li> </ol>	<ol> <li>Noise: In all stations (residency around booster station, residency along land cable and Zhonggang Cihyu Temple)         L<sub>day</sub>, L<sub>night</sub> and L<sub>midnight</sub> are between 55.4-61.7 dB(A), 50.0-61.0 dB(A) and 50.1-55.3 dB(A) respectively. Value of each station/time section comply to Second Type of Construction Noise Control Standard where is 8m or above away from road.</li> <li>Vibration: In all stations (residency around booster station, residency along land cable and Zhonggang Cihyu Temple) L<sub>day</sub> and L<sub>night</sub> are between 30.0-42.8 dB and 30.0-35.1 dB respectively. Value of each station/time section comply to Japanese Control Standards of First Type of Zone.</li> </ol>	
ration		1 station in booster station periphery (1m)	<ol> <li>Normal frequency (20Hz-20kHz): L<sub>max</sub> is between 68.1-79.5 dB(A), L<sub>eq</sub> is between 63.0-64.9 dB(A), monitoring results comply with Second Type of Construction Noise Control Standard.</li> <li>Low frequency(20 Hz-200 Hz): L<sub>eq,LF</sub> is between 37.8-40.1 dB(A). monitoring results comply with Second Type of Construction Noise Control Standard.</li> </ol>	

Monitoring Item	Monitoring Site	Monitoring Result Summary	Measures & Effects
Under construction-Groundwater Quality	water output location     Planned important wetland in Chunan	1. Water output location: pH value is between 8.1-8.3; BOD is between 4.6-6.3 mg/L; COD is between 17.1-22.8 mg/L, SS is between 4.8-20.7 mg/L, Ammonia nitrogen is between 0.40-0.94 mg/L, ADMI is N.D. mg/L, fat is between 0.6-0.9 mg/L, water temperature is between 28.4-29.2°C, NO3-N is between 0.03-0.089, TP is between 0.20~0.454 mg/L, Dissolved oxygen is between 5.4-6.1mg/L. All items comply to water quality standard for construction water output.  2. Planned important wetland in Chunan: pH value is between 8.2-8.8; BOD is between 23.4-64.5 mg/L; COD is between 93.0-256.0 mg/L, Ammonia nitrogen is between 0.012-0.40 mg/L, ADMI is between 42-50 mg/L, fat is between 0.5-1.7 mg/L, water temperature is between 28.4-36.7°C, NO3-N is between 0.02-0.04, TP is between 0.183-0.418 mg/L, Dissolved oxygen is between 4.6-6.3 mg/L. All items comply to class IV water body quality standard except for BOD value.	not affect SS concentration in Planned important wetland in Chunan. In addition, BOD measured in EIA and DA phases is also higher than class IV water body quality standard (referring to Protection Project of National Important Wetlands: https://wetlandtw.tcd.gov.tw/). It is inferred that the value is affected by organic pollutants in water from agriculture, water cultural, household and industry discharged into the